Surname:	First Name:

Current School:



SHREWSBURY SCHOOL

SIXTH FORM ENTRANCE EXAMINATION 2014/15

MATHEMATICS

(I Hour I5 Minutes)

Instructions to candidates:

Answer all questions, writing your answers in the spaces provided.

The number of marks for each question is shown in square brackets: [].


Section A contains questions of a GCSE nature. Attempt this section first, but do not spend too long on any particular question.

Section B is intended to be more considerably more difficult, and is mainly targeted at candidates who are aiming for an academic scholarship on the strength of their mathematics, or who are hoping to take Further Mathematics at A-Level.

You are expected to use a calculator in this examination.


Relevant working must be shown in order to gain high marks.

IGCSE MATHEMATICS 4400 FORMULA SHEET – HIGHER TIER




Volume of cone = $\frac{1}{3}\pi r^2 h$


Curved surface area of cone = πrl



Volume of sphere = $\frac{4}{3}\pi r^3$

Surface area of sphere = $4\pi r^2$






$$adj = hyp \times cos \theta$$
$$opp = hyp \times sin \theta$$
$$opp = adj \times tan \theta$$

$$or \sin \theta = \frac{\text{opp}}{\text{hyp}}$$
$$\cos \theta = \frac{\text{adj}}{\text{hyp}}$$
$$\tan \theta = \frac{\text{opp}}{\text{adj}}$$


In any triangle ABC




Sine rule
$$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$

Cosine rule $a^2 = b^2 + c^2 - 2bc \cos A$

Area of triangle = $\frac{1}{2} ab \sin C$




Volume of prism = area of cross section \times length




Circumference of circle = $2\pi r$

Area of circle = πr^2



Area of a trapezium = $\frac{1}{2}(a+b)h$



Volume of cylinder = $\pi r^2 h$

Curved surface area of cylinder = $2\pi rh$

The Quadratic Equation The solutions of $ax^2 + bx + c = 0$ where $a \neq 0$, are given by

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

Section A (60 marks)

Answer all questions in this section.

I)	Expar	nd the following, simplifying where appropriate:	
	a)	6(x+3y) - 3(2x-4y)	
			-4-
			[2]
	b)	(2w-5)(w+3)	
			[3]
	Facto	rise the following:	
	c)	$8a^3b + 20ab$	
			[2]
	d)	$x^2 + 11x + 24$	

_____[2]

2)	a)	A large tree has 6380 leaves. During a storm, it loses 15% of its leaves. How many does it have afterwards?
		[2]
	b)	The tree also lost 35% of its flowers during the storm. If it now has 208 flowers remaining, how many did it have before the storm?
		[2]
	c)	Ten years ago, the height of the tree was 6.3 metres. It has now reached a height of 10.2 metres.
		What was the percentage increase in the height of the tree during this period of time, to 3 significant figures?
		[3]

	atian	ndom from the tin. Jane then takes one at random for herself.	
	a)	What is the probability that Eric's biscuit is a Custard Cream?	
			[1]
	b)	What is the probability that Eric and Jane select the same type	of biscuit?
			[3]
4 N	The	density. Duef a salama is improved by average invalidation of the graham	af aha madina r
4)		density D of a sphere is inversely proportional to the cube on $r=2$ cm, $D=135$ g/cm ³ .	of the radius r
4)			of the radius r
4)	Wher	r = 2 cm, $D = 135$ g/cm ³ .	of the radius r
4)	Wher	r = 2 cm, $D = 135$ g/cm ³ .	of the radius r
4)	Wher	r = 2 cm, $D = 135$ g/cm ³ .	of the radius r
4)	Wher	r = 2 cm, $D = 135$ g/cm ³ .	of the radius r
1)	Wher	r = 2 cm, $D = 135$ g/cm ³ .	of the radius r
1)	Wher	r = 2 cm, $D = 135$ g/cm ³ .	of the radius r
4)	Wher	r = 2 cm, $D = 135$ g/cm ³ .	
4)	Wher	r = 2 cm, $D = 135$ g/cm ³ .	of the radius r
1)	Whera)	r=2 cm, $D=135$ g/cm ³ . Find a formula for D in terms of r .	
1)	Wher	r = 2 cm, $D = 135$ g/cm ³ .	
4)	Whera)	r=2 cm, $D=135$ g/cm ³ . Find a formula for D in terms of r .	
4)	Whera)	r=2 cm, $D=135$ g/cm ³ . Find a formula for D in terms of r .	
4)	Whera)	r=2 cm, $D=135$ g/cm ³ . Find a formula for D in terms of r .	
4)	Whera)	r=2 cm, $D=135$ g/cm ³ . Find a formula for D in terms of r .	

5)	You must not use a	calculator i	n this question.	Full working I	must be shown.
----	---------------------------	--------------	------------------	----------------	-----------------------

- a) Calculate these, giving your answers as fractions in their simplest form:
 - i) $3\frac{3}{8} + 2\frac{1}{4}$




ii)
$$3\frac{3}{8} \div 2\frac{1}{4}$$

b) Without using a calculator, calculate the number which is 2/3 of the way from $5-2\sqrt{2}$ to $11+7\sqrt{2}$. Give an exact answer in surd form.

____[3]

6)



The diagram shows a rectangular field ABCD with a vertical post CP at one corner.

Given that the angle of elevation from A to the top of the post P is 1.5°, calculate the height of the post to 3 significant figures.

____[5]

- 7) Rearrange the following formulae to make *x* the subject:
 - a) 2a 3x = 7



b) $P = \sqrt{x + 3Q}$



c) $y^2 = \frac{4}{x+3}$



d) $r^2 = (2x+a)(2x-a)$

- 8) Solve the following equations:
 - a) 2w + 11 = 2 4w

_____[2]

 $b) \qquad \frac{6}{u-5} = \frac{4}{u}$

_____[3]

c) $2x^2 - 21x + 40 = 0$

____[3]

d) $(y+3)^8 = 4(y+3)^7$

Section B (20 marks)

This section is intended to be more considerably more difficult, and is mainly targeted at candidates who are aiming for an academic scholarship on the strength of their mathematics, or who are hoping to take Further Mathematics at A-Level.


Only attempt these harder questions if you have done and checked as much of section A as you can.

BI) Postman Pat has four parcels to deliver, one to each of four houses. Unfortunately the addresses on the parcels have washed away in the rain, so he guesses which parcel to deliver to each house.

Find the probability that no parcel is delivered to the correct house.

B2) Four circles of unit radius are drawn touching each other, with their centres forming a square of side 2 units, as shown below.

Calculate the exact area of the largest square which can be drawn in the shaded region enclosed between the four circles.



_____[6]

Please turn over for the final question.

B3)	a)	What can you say about the real numbers a and b if $a^2 + b^2 = 0$?	
			[2]
	b)	The real numbers x , y , z satisfy the equation:	
		$(3x+5y+7z-9)^2+(5x+4y+3z-2)^2=0.$	
		i) Calculate the value of $x + y + z$.	
			[4]
		ii) Hence calculate the value of $x + 2y + 3z$.	
			[2]

+++++ END +++++