ST EDWARD'S OXFORD



16+ ENTRANCE EXAMINATION

For entry in September 2016

CHEMISTRY

Time: 1 hour

Candidates Name:	•••••	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	••••

Total marks available: 60

0	4 H = 2 c	N N 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	38 pto	± 8 0 2 2 5	RA Be		
	- ±						
7		25.55 Chlorine 17 17 17 17 17 17 17 17 17 17 17 17 17	35 Semine	127 — lodine 53	Astatine 85		
		1 1	1	I .			
9		16 O Oxygen 8 8 8 Sulphur 16 16 16 16 16 16 16 16 16 16 16 16 16	Selenium 34	Tellurium 52	Polonium 84		
2		Nitrogen 31 7 7 7 8 15 5 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	As Arsenic 33	Sb Antimony 51	2 := 2 m		
-,		Nitrogen 7 11 11 11 11 11 11 11 11 11 11 11 11 1		Antin S	Bismuth 83		
4		Carbon Silicon 23	Germanium 32	et 22 F 8	PP 201		
		3					
က		Beron S 27 27 Al Aluminium 13 70 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Gallium 31	15 Taling 49	Palling Pa		
			1	<u>_</u> 5			
		8	Zinc 30	Cadmium 48	Hg Mercury		
		3.5			Au Gold 79		
		25	\$ ¥ €	Palladium 46	25 T 28 28 28 28 28 28 28 28 28 28 28 28 28		
			_				
		8 (Spg %	Phodium 45	Indium		
		8 (F 5 8	Ruthenium 44	Osmium Nosmium		ğe – gi
Group	Hydrogen	55	Manganese 25	Partium 43	8 % Fig. 75	Key	Relative atomic mass Symbol Name
Ğ	Hyd	<u> </u>	Man	- F	- L &		Atol Atol
		8 6	Cr Chromium Ma 24	Nb Mo TC To Hobium Molyodenum Technetium Ruti	W X 4 7 7 4 7 4 7 4 7 4 7 4 7 4 7 4 7 4 7		
		-	Ď E	₹ .	E		
		20 3	Vanadiu 23	8 Significant	Tantalu 73		
		8	Titani 22	2rconium 40	H Tale	_	
		2	Seign 7	8 > mg	Lanthanum 57 227 Actinium an	2	
						-	
2		Beryilium 24 Magnesium 12	Saldium 8	Se trontium 38	Barlum Se Se Radium Radium Radium Radium	8	
		E 5				⊣	
-		Li Lifthium 3 23 23 Na Sodium 11 11 11 11 11 11 11 11 11 11 11 11 11	→ Potassii	Rubidiu 37	Caesiu Caesiu 55 223 Franciu	à	
	Period 1	0 0	4		9 /	_	
	P.						


Questions

Q1.

This question is about the elements hydrogen and oxygen.

 $\hbox{(a)} \quad \hbox{The circles in the diagrams represent molecules of hydrogen}.$

Place a cross M in the box under the diagram that represents hydrogen gas.



(1)

(1)

(1)

(b) The diagram below shows two different atoms of hydrogen.



- (i) The particle furthest from the centre of each atom is
- A an electron
- **B** a neutron
- C a nucleus
- **D** a proton
- (ii) The particle present in atom Y but not in atom X is

A an electron

- B a neutron
- C a nucleus
- **D** a proton

X	Α	electrons and neut	rons				
X	В	electrons and proto	ons				
×	С	electrons, neutrons	s and protons				
×	D	neutrons and proto	ons				
(c) I	Differ	ent atoms of oxygen	can be represen	ted as			
S	elect [,]	words or phrases fro	8	O and	8	t these atoms of oxyge	n.
Y	ou ma	ay use each word or	phrase once, mo	re than or	nce or not at all		
		nic numbers	isotopes		numbers	numbers of elec	ctrons
		•	isotopes				ctrons (3)
	ator	•		mass	numbers	numbers of elec	
These	aton	nic numbers	lled	mass	numbers	numbers of elec	
These	ator e ator use th	nic numbers ms of oxygen are ca	lled	mass	numbers are the s	numbers of elec	
These	ator e ator use th	nic numbers ms of oxygen are ca	lled	mass	numbers are the s	numbers of elec	(3)

(1)

(iii) Both atoms are neutral because they have the same number of

This question is about the separation of mixtures.

- (a) The table shows some methods used to separate mixtures.
 - (i) Place a tick (✓) in one box in each row of the table to show the best method of separation for each mixture.

(4)

		Method of separation					
	Separation	Chromatography	Simple distillation	Filtration	Fractional distillation		
P	red ink from a mixture of coloured inks						
Q	ethanol from a mixture of ethanol and water						
R	sand from a mixture of sand and water						
S	water from copper(II) sulfate solution						

	,	copper(II) sulfate solution				
	(ii)) Which of the mixture	res P, Q, R or S contai	ns an undissolved	d solid?	(1)
(Pure dry crystals of mag	•	e obtained from n	nagnesium nitrate	
	Th	nese steps describe the	e method, but the step	os are in the wron	g order.	
	A	allow the solution to	o cool to room tempera	ature		
	Е	heat the solution to	evaporate some of th	e water		
	c	pour the mixture of	crystals and solution	through filter pape	er	
	D	put the crystals in a	a warm place to dry			
	E	dip a glass rod into	the solution to see if o	crystals form		
	W	rite a letter in each box	x to show the correct of	order.		
	Or	ne has been done for y	you.			(2)
	_					(2)
		E				

Q3.

The alkanes are a homologous series of hydrocarbons obtain	ed from the fractions in
crude oil.	

(a) Describe how crude oil is separated into fractions in industry.	
	(4)
(b) (i) State the general formula of the alkanes.	
	(1)
(ii) State two characteristics, other than having the same general formula, of members of a homologous series.	
4	(2)
1	
2	
(c) Propane is an alkane used as a fuel.	
Balance the equation for the complete combustion of propane.	(1)
C ₂ H ₈ +H ₂ O →H ₂ O	

(i) Identify this gas.	(
ii) Explain why the gas is poisonous.	(
iii) During the combustion of propane at high temperatures, gases represented by the formula NO _x can form. Which two elements combine to form these gases?	(
and	
The alkane C ₅ H ₁₂ has three isomers.	
The displayed formula of one of these isomers is	
H	
H—Ç—H	
H H	
н—сॄ——сॄ——сॄ—н	
H H	
H—C—H	
H	
Draw the displayed formulae of the other two isomers.	

(f)	Methane is used in many countries as a fare mixed with it to allow any leaks to be	fuel in houses. It has no smell, so substances identified.	
	One of these substances is compound X v	which has this composition by mass.	
	C = 53.39	%, H = 11.1%, S = 35.6%	
	(i) Use this information to calculate the e		(3)
	(ii) The relative formula mass of X is 90 What is the molecular formula of X?	empirical formula of X	(1)
		molecular formula of X (Total for question = 17 mark	

11115	questi	on is about elements in Group 1 of the Periodic Table.	
(a)	Which	statement is correct about lithium?	
5	■ A	lithium is a non-metal	(1)
5	В	lithium forms a sulfate with the formula LiSO ₄	
5	С	lithium reacts with water to form an alkali	
E	D	lithium reacts with water to form a white precipitate	
(b)	Lithiur	n and potassium have similar chemical properties because their atoms	
	_		(1)
₽	A	have the same number of electrons in the outer shell	
Ε	В	have the same number of protons	
E	С	have two electrons in the first shell	
Þ	D	form positive ions	
	State or	n and potassium have similar chemical properties because their atoms ne observation that would be similar for each element, and one that would rent for each element.	(2)
simi	lar		(-)
diffe	erent		
(d)		est the formula of the compound formed when potassium reacts with oxygen, hen potassium reacts with chlorine.	
1 1 1 1 1 1 1 1 1 1	nen		(2)
	-		
(e)	Comp	lete the equation for the reaction between rubidium and water by inserting symbols.	
		2Rb() + 2H ₂ O() → 2RbOH() + H ₂ ()	(1)

The table shows information about the isotopes in a sample of rubidium.

Isotope	Number of protons	Number of neutrons	Percentage of isotope in sample
1	37	48	72
2	37	50	28

Use information from the table to calculate the relative atomic mass of this sample of rubidium. Give your answer to one decimal place.

relative atomic mass =

(Total for question = 9 marks)

(2)

Q5.

A student investigates the rate of the reaction between marble chips (calcium carbonate) and dilute hydrochloric acid. She is given a bottle containing hydrochloric acid labelled 100%.

She uses this method to find out how changing the concentration of the acid affects the rate of reaction.


- add some marble chips to a conical flask
- pour 50.0 cm³ of dilute hydrochloric acid into the flask
- place the flask on a balance and start a timer
- record the time taken for the mass of the flask and contents to decrease by 1.0 g

(a) Suggest two features of the marble chips that the student should keep the same

• repeat the experiment using different concentrations of hydrochloric acid

	to ensure that the results are valid (a fair test).	(2)
1		
2		
(b)	Why does the mass of the flask and contents decrease during the experiment?	
		(1)
(c)	The student should have put some cotton wool in the neck of the conical flask after placing the flask on the balance.	
ا	How would this improve the accuracy of the results?	(4)
		(1)

(d) The graph shows the student's results for the decrease in the mass of the flask and contents by 1.0 g.



(i) Use the graph to find the time taken for the loss of 1.0 g of mass from the flask when the concentration of acid is 50%.Show on the graph how you obtained your answer.

(ii) One of the points on the graph is anomalous. What could have caused this anomalous result?

(1)

(2)

- A the concentration of acid was more than 40%
- B the loss of mass was greater than 1.0 g
- C the mass of marble chips was more than 10 g
- D the student started the timer too late

(e) The results of each experiment can be used to calculate the rate of reaction using the expression

rate of reaction in grams per second =
$$\frac{1.0 \text{ g}}{\text{time to lose 1.0 g in seconds}}$$

Calculate the rate of reaction when the concentration of acid is 50%.

(2)

- (f) The student is given a bottle of hydrochloric acid with a concentration different from that used in the previous experiments.
 - She repeats the investigation using different concentrations of hydrochloric acid.


She calculates the rate of reaction for each experiment.

The table shows her results.

Rate of reaction in milligrams per second	15	29	40	56	70
Concentration of acid (%)	20	40	60	80	100

Plot these results on the grid and draw a straight line of best fit.

(3)




Concentration of acid (%)

(g) The rate of reaction increases as the concentration of the acid increases.	
Explain this relationship in terms of particles.	
	(3)
/Total for suppliers A	5
(Total for question = 1	o marks)


Q6.

A student uses this apparatus to investigate the temperature change that occurs when potassium hydroxide is dissolved in water.



She uses this method.

- pour 50 cm³ of water into the polystyrene cup and measure the temperature of the water
- add 3 g of potassium hydroxide and stir
- record the highest temperature of the solution
- (a) These diagrams show the thermometer readings before and after the student added the potassium hydroxide.



Use the readings to complete the table.

	temperature in °C after adding potassium hydroxide		
	temperature in °C before adding potassium hydroxide		
	temperature change in °C		
(b) The student uses her results to calculate the enthalpy change for dissolve potassium hydroxide in water.	ving	
	She compares her value with a data book value. Student's value = - 32kJ/mol. Data book value = - 55kJ/mol. There are no errors in the student's method or in the calculation. Suggest two reasons why the student's value differs from the data book value.		(2)
1			(4)
2			

(Total for question = 5 marks)